


3.8 D.No. 1200 (FST-155)












※ D.No. 1202 (1551) **※**





₩ D.No. 1203 (1506)













3. D.No. 1205 (FST - 101)





3 D.No. 1206 (FST - 160)






D.No.1207 (FST - 123)





3 D.No. 1208 (1500)







D.No. 1208-HL







1208







D.No. 1209 (1507)







D.No. 1209-HL






















D.No. 1211 (1513)































D.No. 1213 (1587)












D.No. 1214 (1588)











3 D.No. 1215 (FST-103)





D.No. 1216 (FST-104)





D.No. 1217 (FST-105)





D.No. 1218 (FST-108)





D.No. 1219 (FST-109)






3. D.No. 1220 (FST-110)





D.No. 1221 (FST-113)











D.No. 1223 (FST-118)



castano

D.No. 1224 (FST-119)






D.No. 1225 (FST-120)





D.No. 1226 (FST-126)





D.No. 1227 (FST-151)



contons

D.No. 1228 (FST-153)





D.No. 1229 (FST-165)



contons

D.No. 1230 (FST-171)



castano

D.No. 1231 (FST-176)

















D.No. 1233 (FST-202)













D.No. 1235 (FST-134)












3 D.No. 1237 (FST-158)





3 D.No. 1238 (FST-107)






% D.No. 1239 (FST-167) **%**















D.No. 1241 (FST-143)



contons

D.No. 1242 (FST-173)





D.No. 1243 (FST-174)





D.No. 1244 (FST-161)












D.No. 1246 (1572)





D.No. 1247 (1582)



contons

D.No. 1248 (FST-122)




contons

D.No. 1249 (FST-128)





D.No. 1250 (FST-141)





D.No. 1251 (FST-170) |





D.No. 1252 (FST-204)











D.No. 1254 (FST-237)






D.No. 1255 (FST-238)











D.No. 1257 (FST-233-1)





3 D.No. 1258 (FST-234)






D.No. 1259 (FST-235)





D.No. 1260 (FST-215)





D.No. 1261 (FST-216)





D.No. 1262 (FST-217)





D.No. 1263 (FST-218)





D.No. 1264 (FST-205)





D.No. 1265 (FST-206)





D.No. 1266 (FST-207)





D.No. 1267 (FST-239)





D.No. 1268 (FST-240)





% D.No. 1269 (FST-208)





D.No. 1270 (FST-209)





D.No. 1271 (FST-210)











D.No. 1273 (FST-212)





D.No. 1274 (FST-213)





D.No. 1275 (FST-213-1)





D.No. 1276 (FST-214)





3. D.No. 1277 (FST-219)





3 D.No. 1278 (FST-220)





D.No. 1279 (FST-221)





D.No. 1280 (FST-222)





D.No. 1281 (FST-223)





% D.No. 1282 (FST-224)





D.No. 1283 (FST-225)





D.No. 1284 (FST-231)












D.No. 1286 (FST-230)



captano

3. D.No. 1287 (FST-229)





3. D.No. 1288 (FST-228)



centano

D.No. 1289 (FST-227)





D.No. 1290 (FST-226)





※ D.No. 1291 (FST-201)





D.No. 1292 (FST-175) |






D.No. 1293 (FST-199)





D.No. 1294 (1584)













3 D.No. 1296















3 D.No. 1298
















D.No. 1300 (1529) | |











D.No. 1302 (1552)






D.No. 1303 (1591) | |





#3 D.No. 1304 (FST-127)





3 D.No. 1305 (FST - 187)






D.No. 1306 (FST-177)






D.No. 1308 (5016)




D.No. 1309 (4010)




D.No. 1310 (4009)







※ D.No. 1312 (5010)


























D.No.1317 (FST-132)









D.No. 1319 (FST-172)










D.No. 1323 (1598)



























































D.No. 1335







Technical Specification

Sr. No.	Property	International Std. ISO 13006/EN176 Group	Tiles Value	Method of Testing
1	Deviation in Length	+/- 0.6%	+/- 0.3%	ISO 10545 Pt2
2	Deviation in thickness	+/- 5%	+/- 3%	ISO 10545 Pt2
3	Straightness of sides	+/- 0.5%	+/- 0.1%	ISO 10545 Pt2
4	Rectaangularity	+/- 0.6%	+/- 0.2%	ISO 10545 Pt2
5	** Surface flatness	+/- 0.5%	+/- 0.2%	ISO 10545 Pt2
6	Water absorpation	< 2 - 4%	< 3 - 5%	ISO 10545 Pt3
7	* Mohs hardness	>6	>6	EN 101
8	Flexual Strenght	>35N/mm ²	>40N/mm ²	ISO 10545 Pt4
9	Abrasion resistance	>175/mm ²	<144 mm ³	ISO 10545 Pt6
10	**Skid resistance (friction Coefficient)	>0.4	> 0.4%	ISO 10545 Pt17
11	Breaking Strenght	1113 N	2800 N	ISO 10545 Pt4
12	Frost resistance	Frost Proof	Frost Proof	ISO 10545 Pt12
13	Chemical resistance	No Damage	No Damage	ISO 10545 Pt13
14	Thermal Shock resistance	No Damage	No Damage	ISO 10545 Pt9
15	Colour resistance	No Damage	No Damage	DIN 51094
16	Stain resistance	Resistance	Resistance	ISO 10545 -14
17	Moisture Expansion	NIL	NIL	ISO 10545 -10
18	** Glossiness	-	Min.80% reflection	Glossmeter
19	Resistance to Surface Abrasion (of tiles intended for use on Floors)	Abrasion Class Shall be specified by the manufacture	PEI Group V	ISO - 10545 - 7 IS : 13630 - 11

PACKING DETAILS

Sr. No.	Size	No. of Tiles Per Box	Thickness	Coverage Area in sq.mt / Sq.ft	Approx Weight of Box
1	200x1200mm	5 Pcs.	9 to 9.2mm	1.2 / 12.91	24 kg